

## Freud Museum

| Hazard   | Who or what may be harmed                  | Value (Likelihood: Severity) | Level of Risk | Existing Controls   | Suggested Further Controls                |
|--|--|------------------------------|---------------|---|---|
| Falling or tripping                            | Students<br>Collections                    | 3:2                          | 6             | Museum staff to advise on expected behaviour and about objects on open display              | Teaching to supervise students' behaviour |
| Discovering upsetting memories or associations | Students                                   | 2:2                          | 4             | Activities/discussion to be sensitively monitored by museum staff and respond appropriately |   |
| Drinks/food spillage in the museum             | Fabric of museum, carpets, objects         | 3:3                          | 9             | no drinks in Freud's study or in any carpeted area,   |   |
| Medical Incident                               | Staff, volunteers, Participants, musicians | 2:2                          | 4             | Two First Aid trained staff, two First Aid boxes on site                                    |   |
| Damage/loss of Shop Stock                      | Museum income                              | 1:1                          | 1             | Manned shop   |   |

## Risk Assessment Rationale

### Likelihood    Probability

|   |   |
|---|---|
| 5 | Will invariably happen / almost certain |
| 4 | Very likely to happen                   |
| 3 | Possible / even chance                  |
| 2 | Unlikely to happen                      |
| 1 | Negligible / improbable                 |

### Severity    Effect

|   |  |
|---|--|
| 5 | Death or permanent incapacity/widespread loss                |
| 4 | Serious injury / serious loss                                |
| 3 | Reportable injury/temporary incapacity/ moderate loss        |
| 2 | Minor injury/ first aid only/ work restriction/ slight loss/ |
| 1 | No injury /illness or loss                                   |

### Severity X Likelihood = Total Risk

|       |  |
|-------|--|
| 1-2   | No further action required   |
| 3-9   | Further reduction may not be feasible or economical, but act if possible |
| 9-15  | Act as soon as possible, certainly within 2 weeks of event               |
| 15-20 | Act as soon as possible, certainly within 1 week of event                |
| 20-25 | Act immediately  |